

# 1576 - Lolita's Cantina

## Retail Food - Retail Food

Physical Address:

409 MAIN ST Canon City, CO 81212

County: Fremont (22)

INSPECTION DATE:

07/07/2009

INSPECTION TYPE:

- REGULAR
- INTERVENTION
- FOLLOW-UP
- PRE-OPERATIONAL
- COMPLAINT

**RED→CRITICAL ITEM VIOLATIONS** are more likely than other violations to contribute to food contamination or illness. These violations involve the food source and condition, food cooking and storage temperatures, sanitizing utensils, water and sewage, handwashing and other sanitary practices, handwashing sinks and supplies, pest control and use of poisonous materials.

### PERSONNEL

#### 02d. Hygienic practices

- ↳ Corrective Action: Correction Verified During Follow-up. Correct-By: 07/03/2009  
Enforcement Action: 1st Notice of Non-compliance  
Inspector Comments: A separate bar handsink still has not been installed, if employees are washing their hands they are doing it in the 3-compartment sink. Violation 02d originally cited on 05/18/2009 was verified as corrected during an on-site follow-up inspection on 07/07/2009.

### HANDWASHING AND TOILET FACILITIES

#### 06a. Adequate number, location

- ↳ Corrective Action: Correction Verified During Follow-up. Correct-By: 07/03/2009  
Enforcement Action: 1st Notice of Non-compliance  
Inspector Comments: A separate bar handsink has not been installed by the May 28 date specified on the original inspection from May 18, 2009. The bartender explained that there was a problem with getting the beverage company in to relocate some equipment so that the ice bin could be moved to make room for the handsink. No one from the bar called to let me know there would be a delay. I was informed that this should all be completed by June 12, 2009. Violation 06a originally cited on 05/18/2009 was verified as corrected during an on-site follow-up inspection on 07/07/2009.

BLUE→NON-CRITICAL ITEM VIOLATIONS are not directly related to the cause of food-borne illness, but if uncorrected, could negatively affect the operation of the restaurant. These include a lack of facility cleanliness and poor maintenance of equipment and facilities.

NOTES / COMMENTS:

RECOMMENDED REGULATORY ACTION(S), RESOLUTION(S) & INTERVENTIONS:

<b>CIVICS:</b> <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	<b>ON-SITE FOLLOW-UP:</b> <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO
------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------