

9034 - Park Avenue Child Center

Child Care - Child Care Center

Physical Address:
517 N Diamond Canon City, CO 81212
County: Fremont (22)

INSPECTION DATE:
04/12/2010

INSPECTION TYPE:
 REGULAR
 FOLLOW-UP
 PRE-OPERATIONAL
 COMPLAINT

LICENSE STATUS
RECOMMENDATION
 APPROVED
 DENIED

RED→CRITICAL ITEM VIOLATIONS are more likely than other violations to contribute to illness or environmental hazards that may contribute to a disease outbreak. Critical item violations include inappropriate diapering procedures, lack of handwashing, ineffective sanitization and disinfection, ill personnel preparing food or caring for children, unsafe water supply or sewage disposal, vermin infestation, food temperature abuse and uncontrolled toxics.

BLUE→NON-CRITICAL ITEM VIOLATIONS are not directly related to the cause of illness, environmental hazards or disease outbreak, but if uncorrected, could negatively affect the operation of the child care facility. These include a lack of facility cleanliness and poor maintenance of equipment and facilities.

PREMISES

02a. General

- Inspector Comments: 2-101 Some plastic bins on the playground have water standing in the containers.
- Inspector Comments: 2-102 The plastic base for the basketball hoop is filled with water and the plugs are missing.

02b. Swimming Pools/Wading Pools

- Inspector Comments: 2-201(b) 2 unused wading pools are partially full of leaves, dirt and some standing water, pools are not stored upside down (in the fenced area behind the shed).

BUILDING

03c. Finishes

- Inspector Comments: KITCHEN 3-103(i) Section of cove base missing under the kitchen handsink.

SANITARY FACILITIES & CONTROLS

04d. Plumbing

- Inspector Comments: 4-301 The hot water "hammers" at the handsink in the restroom next to the kitchen.

04e. Toilet Facilities

- Inspector Comments: 4-405 The toilet paper holder is empty in the Toddler's restroom, Room #4.

DISEASE PREVENTION

06k. Sanitizer/Disinfectant Test/Store

- Inspector Comments: 6-406(b) Spray bottles of bleach water in some of the classrooms are only labeled "Bleach Water" and not also labeled as "Sanitizer" or "Disinfectant" (depending on the concentration) and labeled with the intended use such as sanitizer/toys & tables or disinfectant/restrooms.

FOOD SERVICE

07d. Prohibited Foods/Activities



Inspector Comments: KITCHEN 7-101 Secondary containers of powdered sugar? and salt? are not labeled.

ADDITIONAL COMMENTS:
11:35AM.
This facility opened in September, 2003.

RECOMMENDED REGULATORY ACTION(S), RESOLUTION(S) & INTERVENTIONS:

<p>CIVCS: <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO</p>	<p>ON-SITE FOLLOW-UP: <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO</p>
---	---