

## 9034 - Park Avenue Child Center

### Child Care - Child Care Center

Physical Address:  
517 N Diamond Canon City, CO 81212  
County: Fremont (22)

INSPECTION DATE:  
02/11/2009

INSPECTION TYPE:  
 REGULAR  
 FOLLOW-UP  
 PRE-OPERATIONAL  
 COMPLAINT

LICENSE STATUS  
RECOMMENDATION  
 APPROVED  
 DENIED

**RED**→CRITICAL ITEM VIOLATIONS are more likely than other violations to contribute to illness or environmental hazards that may contribute to a disease outbreak. Critical item violations include inappropriate diapering procedures, lack of handwashing, ineffective sanitization and disinfection, ill personnel preparing food or caring for children, unsafe water supply or sewage disposal, vermin infestation, food temperature abuse and uncontrolled toxics.

**BLUE**→NON-CRITICAL ITEM VIOLATIONS are not directly related to the cause of illness, environmental hazards or disease outbreak, but if uncorrected, could negatively affect the operation of the child care facility. These include a lack of facility cleanliness and poor maintenance of equipment and facilities.

#### SANITARY FACILITIES & CONTROLS

##### 04f. Handwashing/Bathing Facilities



Inspector Comments: 4-503 No soap at the kitchen handsink.

#### DISEASE PREVENTION

##### 06i. Medication & First Aid



Inspector Comments: 6-301 An in-use medical sharps container is stored in the kitchen pantry.

##### 06k. Sanitizer/Disinfectant Test/Store



Inspector Comments: 6-406(b) Several spray bottles labeled "Bleach" are not also labeled as either "sanitizer" or "disinfectant" ,in Room 1, Room 4 and Room 5.

#### FOOD SERVICE

##### 07b. Equipment Design



Inspector Comments: 7-101 Thermometers not visible, or missing, in some classroom refrigerators.

#### PESTS/TOXICS

##### 10b. Toxic Materials Control



Corrective Action: Corrected On-Site. Correct-By: 02/11/2009

Inspector Comments: 10-204 Several cleaning supplies stored in kitchen cabinet, above countertop and above the dishwasher.

ADDITIONAL COMMENTS:  
12:45pm.

During inspection, I provided information on companies supplying chloride disinfectant test strips and Sanitizer/Disinfectant Guidelines.

CIVCS:

YES

NO

ON-SITE FOLLOW-UP:

YES

NO